



3	LEGEND
CONCRETE WALL	REQUIRED 12 HOUR CONCRETE WALL PER TABLE 604; MINIMUM RATED OPENINGS PER TABLE 19.3 UNRATED OPENINGS PER TABLE 601
DOOR WALL	REQUIRED 2 HOUR DOOR WALL PER SECTION 701; MINIMUM RATED OPENINGS PER TABLE 19.3 UNRATED OPENINGS PER TABLE 601
DIAGONAL SEPARATION WALL	REQUIRED 2 HOUR SEPARATION WALL PER SECTION 701; MINIMUM RATED OPENINGS PER TABLE 19.3 UNRATED OPENINGS PER TABLE 601
SHUT WALL	REQUIRED 3 HOUR SHUT WALL PER SECTION 701; MINIMUM RATED OPENINGS PER TABLE 19.3 UNRATED OPENINGS PER TABLE 601
STAIR WALL	REQUIRED 1 HOUR STAIR WALL PER SECTION 701; MINIMUM RATED OPENINGS PER TABLE 19.3 UNRATED OPENINGS PER TABLE 601
STAIR	REQUIRED 1 HOUR STAIR PER SECTION 701; MINIMUM RATED OPENINGS PER TABLE 19.3 UNRATED OPENINGS PER TABLE 601
ELEVATOR	REQUIRED 1 HOUR PER POWER COMPANY REQUIREMENTS
STAIRWELL	REQUIRED 1 HOUR PER POWER COMPANY REQUIREMENTS
STAIRWELL AT	REQUIRED 4 HOUR PER POWER COMPANY REQUIREMENTS

2	GENERAL NOTES
1.	EXTERIOR BUILDING WALLS SHOWN ARE 3 HOUR MINIMUM RATED WALLS WITH UNRATED OPENINGS PER TABLE 601
2.	INTERIOR BUILDING WALLS SHOWN ARE 3 HOUR MINIMUM RATED WALLS WITH UNRATED OPENINGS PER TABLE 601
3.	ALL EXTERIOR AND INTERIOR WALLS ARE OF NON-COMBUSTIBLE CONSTRUCTION PER TABLE 601
4.	REFER TO BUILDING PLANS AND SHUT PLANS FOR EXEMPTION TYPES
5.	REFER TO ELECTRICAL FOR LOCATION OF UNLIMITED DOOR SWIMS
6.	REFER TO ELECTRICAL FOR LOCATION OF LIMITED DOOR SWIMS
7.	REFER TO ELECTRICAL FOR LOCATION OF THE ALARM WALL SHOWN AND FIRE ALARM DEVICES
8.	REFER TO ELECTRICAL FOR LOCATION OF HEAT AND SMOKE DETECTORS

CODE DRAWING - PLAN - 24TH LEVEL | 1

PROJECT "X"  
HOUSTON, TEXAS

EDJ ARCHITECTURE INC.  
2800 West Loop, Westwood  
HOUSTON, TEXAS 77066  
P: (713) 371-4800  
WWW.EDJARCHITECTURE.COM  
TEXAS: 04180004180004

3/32"=1'-0"

EDJ ARCHITECTURE INC.  
2800 West Loop, Westwood  
HOUSTON, TEXAS 77066  
P: (713) 371-4800  
WWW.EDJARCHITECTURE.COM  
TEXAS: 04180004180004

PROJECT NO. 07018.000  
ISSUED FOUNDATION PERMIT  
ISSUED DATE: 07-18-07  
FILE

DATE: 07/18/07  
CHECKED: R.M.  
DATE: 07/18/07  
REVISIONS:

DRAWN BY: C.A.C.

CONTRACT NO. 07018.000  
AL. 07/18/07  
AL. 07/18/07

DRAWING NUMBER  
G014  
CODE PLAN

